## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.

# WHOLESALE PRICE LIST.

FOR NURSERYMEN ONLY LIBERATE SEPTEMBER - 1928

RECEIVED \* JAN 29 1921 4



ESTABLISHED 1878

# Leonard Coates Nurseries

INCORPORATED

Wholesale Growers

EVERGREEN AND DECIDUOUS ORNAMENTALS ---CONIFERS — LINING-OUT STOCK — ROSE STOCKS BUDDED FRUIT TREES -- FRUIT TREE SEEDLINGS

Nurseries at MORGAN HILL — SANTA CRUZ — BRENTWOOD Main Office

> San Jose . California

MEMBER CALIFORNIA ASSOCIATION OF NURSERYMEN PACIFIC COAST ASSOCIATION OF NURSERYMEN

# Terms and Conditions of Sale

## Please Read Carefully

- VISIT OUR NURSERIES, where will be found beautiful, healthy stock, grown under ideal conditions. We grow at Morgan Hill, Santa Cruz and Brentwood, where we can produce the best stock, free from serious pests and diseases.
- TERMS—All prices quoted are net. Five per cent (5%) discount for cash with order. All bills due and payable 30 days from date of invoice unless otherwise arranged. Remittance or references must accompany orders from unknown correspondents.
- ALL ORDERS are accepted subject to cancellation or change, on account of prior sale, depletion of stock, or other conditions beyond our control. All shipments are sent at purchaser's risk. This list cancels all previous quotations. Prices on application for stock not listed.
- CLAIMS of any kind will not be allowed unless reported within 10 days after receipt of goods.
- PACKING is done in the most careful way and a charge is made to cover cost of material only.
- STOCK quoted in this list will be furnished 5 at 10 rate and 50 at 100 rate.
- CONTRACTS for growing ornamentals, lining out stock, FRUIT TREE SEEDLINGS, budded trees and rose stocks are solicited.
- NATIVE CALIFORNIA TREES AND SHRUBS are in demand. Our Nurseries are headquarters for this class of stock, and for your convenience they are marked with an (\*) in this list.
- GUARANTY—While we exercise the greatest care to have all stock true to name, we give no warranty, expressed or implied, and in event that stock is proven not true to name, we shall be liable only for the sum paid for such stock.
- DESCRIPTIVE CATALOG of fruit trees and ornamentals mailed on request.
- EXPLANATION OF ABBREVIATIONS—B., balled. B.R., bare roots. ft., feet. in., inches. P., pot. Qt., quart can. Gal., 1-gallon can.  $2\frac{1}{2}g$ ,  $2\frac{1}{2}$ -gallon can. 5g., 5-gallon can.

# Leonard Coates Nurseries, Inc.

Established 1878

R. D. Hartman, Pres.

L. H. Durden, Secty.-Treas.

Marion E. Gregory, Mgr. Fruit Tree Dept.

# Fruit and Nut Tree Department

For many years we have grown our fruit tree and ornamental Seedlings and Budded Fruit Trees near Brentwood, Contra Costa County, California. Experience has proven that we have here all the factors for the quality and quantity production of sturdy plants, with ideal fiberous root systems, which when transplanted develop into first class trees.

Our nurseries are free from injurous pests, our stock is clean and can be shipped to all parts of the world.

Our long experience in packing for near or distant points is your assurance that your stock will reach you in good condition.

#### SEEDLINGS

Our stock is grown from selected seed in well drained soil, which is sub-irrigated by a system at all times under perfect control.

We have no freezing weather to interfere with the proper growth and development of the trees, and our seedlings are freshly dug, carefully graded and packed for immediate shipment.

California seedlings grown in this location have proven the BEST for Pacific Coast or Eastern planting and as the Pioneer California Fruit Tree Seedling Growers, with 18 years experience, we are sure that a trial will convince you that we offer the BEST.

For best results plant clean, California grown seedlings, carefully graded and packed.

#### FRUIT TREE SEEDLINGS

					No. 2	
Apple	Per	1000		\$10.00	\$ 8.00	\$
Cherry (Mahaleb)	Per	1000		12.00	10.00	8.00
Cherry (Mazzard)	Per	1000	\$20.00	16.00	12.00	8.00
Peach	Per	1000	15.00	12.00	8.00	
Pear (French)	Per	1000	20.00	16.00	12.00	8.00
Pear (Calleryana) (Transplanted)	Per	1000		16.00	10.00	
Plum (Myrobolan)	Per	1000	12.00	10.00	8.00	6.00
Quince (Rooted Cuttings)	Per	1000		16.00		
· · · · · · · · · · · · · · · · · · ·						

### ROSE STOCKS Rooted

Manetti	Per 1000	20.00—5-9 mm.	
Multiflora Japonica	Per 1000	15.00 12.00 8.0	00
Odorata	Per 1000	20.00—5-9 mm.	


### ORNAMENTAL SEEDLINGS

Catalpa speciosa	Per 1000	15.00 12.00	
Fraxinus velutina (Arizona Ash)		15.00 12.00	10.00

### Samples will be sent upon request.

The Japanese pear root has been largely responsible for Black-End, Yellowing conditions and "Apple" or Round Bartletts" It is also subject to Oak Root Fungus.

By using French Pear Seedlings for inarching, these conditions may be corrected.



COATES 1418 FRENCH PRUNE

### BUDDED FRUIT TREES

## **NUT BEARING TREES**

DODDED TRUIT I	KLL		
	rate 100 ach E \$ .35 \$	ach	10 rate 100 rate Each Each ALMONDS. 4 to 6 ft
4 to 6 ft	40	.25 .35 .30 .30	WALNUT SEEDLINGS (No. Calif. Black)         4 to 6 ft
4 to 6 ft	35	.25 .30 .25 .30 .25	SUB-TROPICAL FRUIT TREES  LOQUATS (Budded) 3 to 4 ft
PRUNES (Try Coates 1418 Improved French-A proven, profitable variety.) 6 to 8 ft	35	.30 .25 .35 .30	2 to 3 ft

We specialize in large size trees for family orchards and have a large and desirable variety. Write for list of varieties and quantities available.

# Ornamental Department

CONTEEDS		Each	
CONIFERS		C. Japonica JAP. REDWOOD	
10 rate 100		5 to 6 ft. B	2.00
Each I	Each	CUPRESSUS arizonica. ARIZONA	
ABIES balsamea. BALSAM FIR	Ф 25	CYPRESS	
8 to 10 in. 4P\$ .40	\$ .35	10 to 14 in. Qt	.20
A. firma. MOMI FIR	2 -	2 to 3 ft. Gal	.30
8 to 10 in. 4P	.35	3 to 4 ft. 5P	.35
CEDRUS atlantica. MT. AT-		4 to 6 ft. 5g 1.75	1.50
LAS CEDAR		4 to 6 ft. B	1.50
8 to 12 in. 5P	.35	6 to 8 ft. B	2.00
1 to 1½ ft. 5P	.45	C. bethami knightiana	
2 to 3 ft. B 1.50	1.25	3 to 4 ft. B 1.75	
3 to 4 ft. B 2.00	1.50	6 to 7 ft. B 3.00	
C. deodora. INDIAN or HIMA-		* C. goveniana. GOWEN CYPRESS	
LAYAN CEDAR		4 to 5 ft. B2.00	
10 to 16 in. Qt	.25	5 to 6 ft. B2.50	2.00
10 to 14 in. 4P	.30	6 to 7 ft. B	
1 to 1½ ft. 5P	.35	7 to 8 ft. B	
1½ to 2 ft. 6P	.40	* C. macrocarpa	
2 to 3 ft. B	1.50	MONTEREY CYPRESS	
3 to 4 ft. B	2.00	1½ to 2 ft. Qt	.15
4 to 5 ft. B	2.50	4 to 6 ft. B	1.50
C. libani. CEDAR OF	2.50	6 to 7 ft. B	2.00
LEBANON		C. sempervirens. ITALIAN CY-	2.00
8 to 12 in. 4 P	.35	PRESS (Good Type)	
2 to 3 ft. B	.55	2½ to 3 ft. Gal	.40
3 to 4 ft. B		3 to 4 ft. Gal	.50
4 to 5 ft. B		3 to 4 ft. B	1.00
CHAMAECYPARIS ericoides	25	4 to 5 ft. B	
10 to 14 in. Qt	.25	5 to 6 ft. B	
1 to 1½ ft 4P	.35	6 to 7 ft. B	1./5
10 to 12 in. B	.65	JUNIPERUS excelsa stricta	
12 to 14 in. B	.75	GRECIAN JUNIPER	0.5
C. lawsoniana. LAWSON		1 to 1½ ft. B	
CYPRESS.		1½ to 2 ft. B 1.15	1.00
2 to 3 ft. B	1.15	J. virginiana RED CEDAR	
3 to 4 ft. B	1.50	2 to 3 ft. B	
4 to 5 ft. B	1.75	3 to 4 ft. B	1.50
5 to 6 ft. B		*LIBOCEDRUS decurrens CALIF.	
6 to 7 ft. B3.00		INCENSE CEDAR	40
C. lawsoniana alumi BLUE		10 to 14 in. 4P	.40
LAWSON CYPRESS		1½ to 2 ft. 5P	
3 to 4 ft. 5g2.25		3 to 3½ ft. B	2.50
C. pisifera nana		PICEA excelsa NORWAY SPRUCE	
1 to 1½ ft. 5P	.45	2 to 3 ft. B	1.75
1 to $1\frac{1}{2}$ ft. $2\frac{1}{2}$ g		PINUS canariensis CANARY	*
C. pisifera plumosa. PLUME		ISLAND PINE	
RETINOSPORA		2 to 2½ ft. Qt	.30
2 to 2½ ft. 2½g 2.00		4 to 5 ft. Gal	
1½ to 2 ft. B 1.75	1.50	2 to 3 ft. B 1.35	
CRYPTOMERIA elegans. PLUME		3 to 4 ft. B 1.85	
CRYPTOMERIA		P. mughus DWARF MUGO	
2 to 3 ft. B1.35		PINE	
3 to 4 ft. B1.85	1.60	1 to 1½ ft. B 1.50	1.25

P. pinea ITALIAN STONE PIPE 6 to 10 in. 4P 40 8 P. radiata MONTEREY PINE 12 to 14 in. 4P 30 1 to 1½ ft. Qt 35 35 3 to 4 ft. B 1.50 1 STONE WHITE PINE 6 to 10 in 4P 40 8 P. strobus WHITE PINE 6 to 10 in 4P 40 8 to 12 in. 4P 40 5 to 6 ft. B 750 1½ to 2 ft. B 90 18 to 18 in. B 75 1½ to 2 it. 5P 30 18 to 18 in. B 250 2 to 3 it. Gal. & 6P 60 3 to 4 it. B 1.50 15 to 6 it. 3P 35 30 3 to 4 ft. B 1.50 15 to 6 it. 3P 1.10 15 to 18 in. B 90 16 to 18 in. B 250 2 to 3 it. Gal. & 6P 60 3 to 4 it. B 1.50 15 to 6 it. B 250 2 to 3 it. Gal. & 75 65 3 to 4 it. B 1.50 15 to 6 it. B 250 2 to 3 it. Gal. & 75 65 3 to 4 it. B 1.50 15 to 6 it. 3P 1.10 2 to 3 it. Gal. & 75 65 5 to 6 it. 2½g 1.10 2 to 3 it. Gal. & 50 40 3 to 4 it. B 1.50 15 to 6 it. B 250 2 to 3 it. Gal. & 50 40 3 to 4 it. B 1.50 3 to 4 it. 18 1.50 3 to 6 it. 5g 1.10 3 to 12 it. B 2.50 3 to 6 it. 2½g 1.10 3 to 12 it. B 2.50 3 to 6 it. 3g 25 3 to 6 it. 3g 25 4 to 5 it. Gal 50 40 5 to 6 it. 5g 1.10 4 to 10 it. 2g 1.10 4 to	10 rate 10 Each	0 rate Each		
PINE	P. pinea ITALIAN STONE	Each	EVERGREEN TREES AN	JD
** P. radiata MONTEREY PINE 12 to 14 in. 4P	PINE			(D
12 to 14 in. 4P		.35	SHRUDS	
1 to 1½ ft. Qt.			10 rate 100	rate
3 to 4 ft. B				ach
Sto 6 ft. B			ABELIA grandiflora	25
P. strobus WHITE PINE	5 to 6 ft R 250		2 to 3 it 5P	
ACACIA armata. KANGAROO   THORN	P. strobus WHITE PINE	2.00	4 to 5 ft. B 1.25	
PODOCARPUS elongata FERN   LEAF PINE   2 to 3 ft. B   1.50   4 to 5 ft. Gal  50   .40		.35		1.00
LEAF PINE   2 to 3 ft. B				
SEUDOTSUGA douglasi				.20
DOUGLAS FIR	2 to 3 ft. B 1.50		4 to 5 ft. Gal	.40
8 to 12 in. 4P	PSEUDOTSUGA douglasi		5 to 6 ft. 5 g 1.15	
5 to 6 ft. B	DOUGLAS FIR			
A to 18 in. B	8 to 12 in. 4P	.35		.30
RETINOSPORA leptoclada				
14 to 18 in. B				
1½ to 2 ft. B	RETINOSPORA leptoclada	<i>(-</i>	5 to 6 ft 21/2 110	
R. squarrosa 16 to 18 in. B		.05		
**SEQUOIA sempervirens CALIF* REDWOOD** 1 to 1½ ft. 4P				
*SEQUOIA sempervirens CALIF REDWOOD 1 to 1½ ft. 4P	16 to 18 in. B	.75		.65
REDWOOD				.85
1½ to 2 ft. 5P			ACACIA cultriformis	
1½ to 2 ft. Qt.		.25	KNIFE-BLADE ACACIA	
2 to 3 ft. Gal. & 6P60	1½ to 2 ft. 5P			
3 to 4 ft. B				.40
# to 5 ft. B				
* S. s. glauca. BLUE REDWOOD (Grafted) 6 to 8 ft. B				25
* S. s. glauca. BLUE REDWOOD     (Grafted)     6 to 8 ft. B				
Compact   Comp	* S. s. glauca. BLUE REDWOOD			
THUJA orientalis ARBORVITAE  2 to 3 ft. B				
THUJA orientalis ARBORVITAE           2 to 3 ft. B         1.15           3 to 4 ft. B         1.50           4 to 5 ft. B         2.00           T. orientalis aurea nana DWARF         60LDEN ARBORVITAE           8 to 12 in. B         80           12 to 15 in. B         1.15           T. o. compacta. COMPACT         90           ARBORVITAE         40           10 to 12 in. B         1.00           1 to 1½ ft. B         1.25           T. o. meldensis         1.00           16 to 18 in. B         1.25           1 to 1½ ft. 2½g         90           16 to 18 in. B         90           TSUGA canadensis COMMON         40           HEMLOCK         ACACIA           ACACIA         pravissima SCREWPOD           ACACIA         pravissima SCREWPOD			ACACIA decurrens mollis	
3 to 4 it. B				
4 to 5 ft. B				.55
T. orientalis aurea nana DWARF GOLDEN ARBORVITAE 8 to 12 in. B				
GOLDEN ARBORVITAE 8 to 12 in. B				20
8 to 12 in. B	GOLDEN ARBORVITAE			
12 to 15 in. B		.70		
T. o. compacta. COMPACT  ARBORVITAE  10 to 12 in. B	12 to 15 in. B 1.15	.90		
ARBORVITAE  10 to 12 in. B	T. o. compacta. COMPACT			2.00
10 to 12 in. B				
To 1/2 ft. B				.25
16 to 18 in. B				.35
T. rosedale  14 to 18 in. 4P  1 to 1½ ft. 2½g  16 to 18 in. B  TSUGA canadensis COMMON  HEMLOCK  ACACIA podalyriaefolia (NEW)  ROUND LEAF SILVER ACACIA  3 to 4 ft. Qt		1.00		.50
14 to 18 in. 4P		1.00		
1 to 1½ ft. 2½g	14 to 18 in. 4P	.40	ACACIA podalyriaefolia (NEW)	
16 to 18 in. B	1 to 1½ ft. 2½g		ROUND LEAF SILVER ACACIA	15
TSUGA canadensis COMMON HEMLOCK ACACIA pravissima SCREWPOD ACACIA	16 to 18 in. B	.75	4 to 5 ft Gal 70	
ACACIA ACACIA				.00
			ACACIA	
	4 to 8 in. 4P40	.35	2 to 3 ft. Qt	.30

10 rate 100 Each	rate		rate 100 ach Ea	
ACACIA pycnantha. (NEW)	Sacu	CASSIA artemesoides	ich Es	acm
GOLDEN WATTLE		8 to 12 in. 4P	.35	.30
2 to 3 ft. Qt45	.35	CASSIA tomentosa		
3 to 4 ft. Qal55	.45	1 to 1½ ft. 4P	25	.30
ACACIA verticillata STAR ACACIA				.50
	.25	CASUARINA stricta SHE OAK		
2 to 3 ft. Qt	.35	3 to 4 ft. Gal	45	
	.55	4 to 6 ft. 2½g		
ACANTHUS mollis		*CEANOTHUS arboreus hybrida		
1½ to 2 ft. 4P		2 to 2½ ft. 4P	40	.30
*ADENOSTOMA fasciculatum		* C. incanus WHITE THORN		
CHAMISE		1 to 1½ ft. 4P	40	.30
2 to 2½ ft. 4P		* C. spinosus		
AGATHEA coelestis BLUE		6 to 8 in. 3P	20	.15
MARGUERITE		1 to 1½ ft. 4P	40	
8 to 14 in. 4P		2½ to 3 ft. 2½g	70	
*AGAVE americana		* C. verrucosus		
CENTURY PLANT		1 to 1½ ft. 4P	30	.25
6 to 10 in. 4P		1½ to 2 ft. 4P	35	.30
ALOE-SPOTTED 3P	.20	CERATONIA siliqua CAROB		
	.20	TREE		
ARBUTUS unedo		1 to 1½ ft. 4P	30	.25
STRAWBERRY TREE	1.00	2 to 3 ft. 2½g		.50
3 to 4 ft. B (Bushy) 1.25	1.00	4 to 5 ft. 5g		
BERBERIS darwini		CHOISYA ternata		
DARWINS BARBERRY		MEXICAN ORANGE		
1 to 1½ ft. 5P	.30	8 to 12 in. 4P	. 35	.30
BERBERIS elegantissima		1 to 1½ ft. 5P	50	1 40
10 to 14 in. 4P	.25	3 to 3½ ft. B (Bushy)	1 15	.90
1½ to 2 ft. Gal	.35	CINNAMOMUM camphora	. 1.10	.,,
2 to 3 ft. B		CAMPHOR TREE		
BERBERIS knighti		3 to 3½ ft. Gal. (Branched).	50	.40
8 to 12 in. 4P	.30	4 to 5 ft. Gal (Trimmed)		.55
1 to 1½ ft. 5P	.40	CISTUS ladaniferus maculatus	00	
BERBERIS stenophylla	. 10	SPOTTED ROCK ROSE		
10 to 16 in. 4P	.25	2½ to 3 ft. 5P	50	
1½ to 2 ft. 5P	.35	C. rosea CRIMSON ROCK RO	SE	
3 to 4 ft. 5g	.00	2 to 3 ft. 4P		.30
BERBERIS wilsonae		C. salvifolium WHITE	10	.00
1 to 1½ ft 4P 30	.25	ROCK ROSE		
1 to 1½ ft. 4P	.30	1 to 1½ ft. 4P	25	.20
1 to 1½ ft. B	.50	2 to 3 ft. Gal	40	.30
2 to 3 ft. B	.75	COPROSMA baueri LOOKING	10	.00
BUDDLEIA globosa GLOBE		GLASS PLANT		
BUTTERFLY BUSH		1½ to 2 ft. 5P	.35	.30
3 to 4 ft. Gal50		2 to 3 ft. 2½g	80	.70
BUDDLEIA davidi magnifica		2 to 2½ ft. B		.75
OXEYE BUTTERFLY BUSH		CORDYLINE australis	,0	
3 to 4 ft. Gal		DRACENA PALM		
BUDDLEIA officinalis PALE		1 to 1½ ft. Qt	.25	
BUTTERFLY BUSH		2 to 2½ ft. Gal		
3 to 4 ft. Gal	.35	CORNUS capitata EVERGREE		
CALLISTEMON rigidus	.00	DOGWOOD	- 1	
BOTTLE BRUSH		2 to 3 ft. 4P	.35	.30
8 to 12 in. 4P	.25	CORONILLA glauca	00	
2 to 3 ft. Qt	.30	1 to 1½ ft. 4P	25	.20
CAREX GRASS variegated	.50	CORREA japonica alba		
3P	.15	1½ to 2½ ft. 4P	40	.30
.20	.10	1/2 10 2/2 11. 71	10	.00

	Each	n rate Each	10 rate 10 Each E	0 rate
COTONEASTER acuminata			C. hispanica SPANISH BROOM	иасп
3 to 4 ft. 5P		.40	3 to 4 ft. Gal	.30
4 to 5 ft. B	1.00	.90	4 to 5 ft. Gal	.40
C. franchetti			4 to 5 ft. $2\frac{1}{2}$ g	.50
4 to 5 ft. 5g (bushy)			C. hispanica nana DWARF	
3 to 4 ft. B	1.00	.85	SPANISH BROOM	
C. frigida			1 to 1½ ft. 4P	
3 to 4 ft. Gal		.45	C. (Genista) racemosus	
2 to 3 ft. B		.60	EASTER BROOM	
3 to 4 ft. B		.75	8 to 12 in. 4P	.30
4 to 5 ft. B	1.00	.90	C. scoparius SCOTCH BROOM	
C. heroveana	50		2 to 3 ft. 4P	.25
2 to 2½ ft. 5P 3 to 4 ft. B		.75	3 to 4 ft. Gal	.35
4 to 5 ft. B	1 25	1.00	C. scoparius andreana YELLOW	
C. horizontalis	1.20	1.00	& MAHOGANY RED FLOWERS	
1 to 1½ ft. 5P	40	.35	1 to 1½ ft. 4P	.35
$1\frac{1}{2}$ to 2 ft. 5g (Berried)	40	.75	$2\frac{1}{2}$ to 3 ft. 5g 1.00	
2 to 2½ ft. B (Berried)	1.15	.90	DIOSMA ericoides BREATH-OF-	
C. microphylla			HEAVEN	20
1½ to 2 ft. 4P	.35	.30	8 to 12 in. 4P	.30
2 to 3 ft. 5P	50	.40		.55
2 to 3 ft. 5g (Berried)		.75	D. reevesi	65
1½ to 2 ft. B (Berried)		.60	1½ to 2 ft. B	.65
2 to 2½ ft. B (Berried)		.75	ELAEAGNUS pungens	
2½ to 3 ft. B (Berried)	1.10	.90	1 to 2 ft. 4P	
C. microphylla thymifolia				
8 to 12 in. 4P	35	.30	<b>E. p. maculata</b> 1 to 1½ ft. B	.60
1 to 1½ ft. B (Berried)	/3	.60		.00
C. pannosa	20	07	ERICA graciiis HEATHER 2 to 2½ ft. B	.70
1½ to 2 ft. 4P		.25		.70
2 to 3 ft. 5P 4 to 5 ft. Gal (Berried)		.30 .40	E, mediterranea 6 to 10 in. 4P	.25
5 to 6 ft. 5g (Berried)		.1.00	16 to 18 in. B	.55
2 to 3 ft, B (Berried)	.65	.55	1½ to 2 ft. B (Bushy)	.75
5 to 6 ft. B (Berried)	1.15	.90	E. mediterranea hybrida	0
C. rotundifolia PROSTRAT.			14 to 18 in. B	.53
10 to 14 in. 4P			E. melanthera	
2 to 2½ ft. B		.85	1 to 1½ ft. 4P	.30
C. salicifolia			3 to 3½ ft. B (Bushy) 1.25	1.00
3 to 4 ft. B	1.00	.85	E. persoluta alba	
C. schneideri	20	0.5	1 to 6 in 4P30	.25
1½ to 2 ft. 4P	30	.25	1½ to 2 ft. B	.60
3 to 4 ft. 5G 2 to 3 ft. B		.55	2 to 2½ ft. B	.75
3 to 4 ft. B		.55	E. regerminans	
C. simensi			1 to 1½ ft. B	.65
10 to 14 in. 4P			2 to 2½ ft. B 1.00	.85
C. williamsi			*ERIGONIUM fasciculatum	
C. williamsi		.25	WILD BUCKWHEAT	
2 to 3 ft. B			1 to 1½ ft. 4P	
CYTISUS canariensis			ERIOBOTHRYA (Seedlings) Loquat	
4 to 5 ft. Gal		.30	6 to 10 in. 4P	.30
5 to 6 ft. Gal	50	.40	3 to 4 ft. 5g80	.70
C. elatior 1 to 1½ ft. 4P	35		4 to 5 ft. 5g	.80
1 to 1/2 it. TI				

10 rate 100	rate	10 ra Eac	te 100	rate Each
ESCALLONIA berteriana WHITE		E. Robusta. SWAMP	и г	sacn
3 to 4 ft. Gal		MAHOGANY		
3 to 4 ft. B	.75	4 to 5 ft. Gal	.40	.35
4 to 5 ft. B	.85	6 to 8 ft. 5g		
E. exoniensis WHITE		8 to 12 in. Flats 1000 rate 1.50		1.75
2 to 3 ft. Gal		E. rostrata. RED GUM		1., 0
3 to 4 ft. Gal		2 to 3 ft. Qt	.20	.15
E. ingrami NEW-RED		4 to 5 ft. Qt	.25	.20
2 to 2½ ft. 4P		5 to 6 ft. Gal	.45	.35
2 to 3 ft. Gal	£ ,	6 to 8 ft. Gal		
2 to 3 ft. B	.75		.50	.40
E. langleyensis (Pink)	•	8 to 12 in. Flats 1000 rate 1.50 1½ to 2 ft. Flats 1000 rate 1.75		1.75
2 to 2½ ft. 4P	.30			2.00
E. macrantha (Red)		E. rudis. DESERT GUM	20	
2 to 3 ft. B	<b>.7</b> 5	2 to 3 ft. Qt	.20	.15
E. pterocladon (New-Red)		4 to 5 ft. Gal	.35	
2 to 3 ft. 4P	.25		.45	.35
		6 to 8 ft. 5g	1.00	
E. rosea (Pink)		8 to 10 ft. 5g	1.25	
$1\frac{1}{2}$ to 2 ft. 4P	.25	8 to 12 in. Flats 1000 rate 1.75		2.00
2 to 3 ft. 4P	.30	E. sideroxylon-rosea (Deep pink		
$2\frac{1}{2}$ to $3\frac{1}{2}$ ft. B	.80	flowers)		
E. rubra (Red)		2 to 3 ft. Qt	.30	.25
$1\frac{1}{2}$ to 2 ft. Qt	.25	3 to 4 ft. Gal	.45	
1½ to 2 ft. 4P	.30	4 to 5 ft. Gal	.55	
2 to 3 ft. B	.75	8 to 10 ft. 5g		1.25
3 to 4 ft. B 1.00	.85			1
EUCALYPTUS amplifolia		E. viminalis. MANNA GUM	25	.20
FOREST GRAY GUM		3 to 4 ft. Qt	.25	.25
6 to 8 ft. Gal		4 to 5 ft. Qt	.35	
E. corynocalyx. SUGAR GUM		5 to 6 ft. Gal	.50	.40
2 to 3 ft. Ot	.20	8 to 12 in. Flats 1000 rate 1.50		1.75
3 to 4 ft. Gal	.30	2 to 3 ft. Flats 1000 rate 1.75		2.00
4 to 5 ft. Gal		EUONYMUS japonica		
5 to 6 ft. Gal		3 to 4 ft. Gal	.40	.35
8 to 12 in. Flats 1000 rate 1.50	1.75	3 to 4 ft. B	.65	.55
E. globulus. BLUE GUM	1 0	4 to 5 ft. B	.85	.75
2 to 3 ft. Qt	.15	E. jap. albo marginatus		
3 to 4 ft. Qt	.20	SILVER EUONYMUS		
4 to 5 ft. Gal	.30	3 to 4 ft. 5g	.75	
5 to 6 ft. Gal	.40	2 to 3 ft. B	.60	.50
6 to 7 ft. Gal	.50	E. jap. aurea marginatus		
6 to 8 ft. 5g		GOLDEN EUONYMUS		
8 to 12 in. Flats 1000 rate 1.50	1.75	1½ to 2 ft. B	.70	.60
2 to 3 ft. Flats 1000 rate 1.75	2.00		.90	.80
E. gunni. CIDER GUM	2.00	2 to 3 ft. B	.50	.00
8 to 12 in. Flats 1000 rate 1.50	1.75	E. jap. aureo variegatus		0.5
E. leucoxylon rosea (Pink flowered)	1.75	8 to 12 in. 4P	.30	.25
2 to 3 ft. Qt	.20	1½ to 2 ft. B	.70	.60
8 to 12 in. Flats 1000 rate 2.50	3.00	E. jap. compactus viridis		
E. maculata citriodora	5.00	1½ to 2 ft. B	.60	.50
LEMON GUM		E. jap. microphylla		
3 to 4 ft. Gal		PULCHELLUS	0-	
		8 to 12 in. 4P	.25	.20
E. polyanthemos. RED BOX	20	1 to 1½ ft. 2½g	.60	
2 to 3 ft. Qt	.20	14 to 16 in. B	.60	.50
4 to 5 ft. Gal	.40	E. japonica. PRES.		
8 to 12 in. Flats 1000 rate 1.75	2.00	GAUTHIER		
1½ to 2 ft. Flats 1000 rate 2.25	2.50	1 to 1½ ft. 4P	.30	.25

1	0 rate 100	rate	1	10 rate 100	rate
E. jap. viridivariegatus.			L. nicholli		
DUC D'ANJOU			2 to 3 ft. B	1.00	.80
2 to 3 ft. Gal	45	.40	LIGUSTRUM acuminatum		
2 to 3 ft. B. (Bushy)		.55	(Ciliatum). PRIVET		
4 to 5 ft. B. (Businy)		.75	2 to 3 ft. 6P	40	
	90	.73	1 to 1½ ft. B	60	
E. sieboldi	10			00	
17 2 to 2 ft. Gal	40		L. amurense.		
FABIANA imbricata			AMUR PRIVET	0-	20
2 to 3 ft. 4P	35		3 to 4 ft. Qt		.20
FATSIA japonica.			4 to 5 ft. Gal	45	
aralia sieboldi			L. henryi		
8 to 14 in. 4P	40	.35	8 to 12 in, Qt	20	.15
GENISTA—See CYTISUS			8 to 14 in. 4P	25	.20
GREVILLEA robusta. SILK O.	AK		2 to 3 ft. Gal	35	.30
+ to 6 ft. 5g			3 to 4 ft. Gal		.35
6 to 8 ft. 5g	1.25		2 to 3 ft. B		.70
HYPERICUM calycinum.	1.20		L. japonicum.		
DWARF GOLD FLOWER			JAP. PRIVET		
Ot	20	.15	2 to 3 ft. Qt	20	.15
Gal.			3 to 4 it. Qt	25	.20
	30	.25			.35
H. moserianum.			4 to 5 ft. Gal		
GOLD FLOWER		<b></b>	4 to 5 ft. B		1.25
12 to 14 in. B	60	.50	4 to 5 ft. B. (Standards)		1.50
1½ to 2 ft. B	70	.60	L. nanum compactum LODE:	NSE	
H. patulum.			PRIVET		
JĀPANESE HYPERICUM			1½ to 2 ft. B	70	.60
1½ to 2 it. 5P	30		L. ovalifolium.		
H. patulum henryi			CALIF. PRIVET		
2 to 3 ft. Qt	25	.20	2 to 3 ft. Qt	15	.10
1 2 to 2 ft. 5P	30	.25	2 o 3 ft. B-R 1000 rate .03½		.04
ILEX opaca. AMERICAN			8 to 12 in. Flats 1000 rate .		.03
HOLLY			L. ovalifolium variegatum.	0-0	
2 to 3 ft. B	1 25		GOLDEN PRIVET		
	1.23		1 4- 11/ 4- 1D	25	.20
KNIPHOFIA (Tritoma).			1 to 1½ ft. 4P	23	
RED HOT POKER	20		1-2 to 2 ft. Qt	25	.20
10 to 14 in. Qt		.15	1½ to 2 ft. Gal	30	.25
LAUROCERASUS caroliniana.			2 to 3 ft. B		.60
CAROLINA CHERRY LAUF			3 to 4 ft. B	1.00	.85
3 to 4 ft. 2½g		.50	L. sinense.		
4 to 6 ft. 5g	1.00		CHINESE PRIVET		
L. officinalis.			1½ to 2 ft. 4P	30	.25
ENGLISH LAUREL			2 to 3 ft. Gal	35	.30
11/2 to 2 ft. Gal	40	.35	3 to 4 it. Gal	45	.35
2 to 3 ft. B. (Bushy)	1.00	.85	1½ to 2 ft. B	60	.50
LAVENDULA (Blue or White	)		*LITHOCARPUS (pasania) der		
LAVENDER			flora. TAN OAK		
2 to 3 ft. 4P	30	.25	1 to 1½ ft. 6P	55	
LEONOTIS leonurus.		.20	LONICERA nitida.		
LION'S TAIL			BUSH HONEYSUCKLE		
1 to 2 ft. Gal	40		1 to 1½ it. Qt	20	.15
LEPTOSPERMUM chapmani			11/ to 2 ft Cal	30	.25
2 to 2½ ft. 2½g	75		$1\frac{1}{2}$ to 2 ft. Gal	50	.40
		00			.50
2 to 3 ft. B	90	.80	2 to 3 ft. B.	60	.50
L. laevigatum.	_		*MAHONIA aquifolium.		
AUSTRALIAN TEA TRE	E an		OREGON GRAPE	20	2-
1, 2 to 2 it. Qt	20	.15	8 to 12 in. 4P		.25
2 to 2½ ft. 4P		.25	2 to 3 ft. 5g	80	
3 to 4 ft. Gal		.40	2 to 3 ft. B	80	.70
2 to 3 ft. B	75	.65	3 to 4 ft. B	1.10	.90

10 ra	te 100	rate	10 rate 100	) rate
M. bealei (Japonica).			SINGLE, crimson, deep rose,	
JAP. BARBERRY			pink, red, salmon yellow, white.	
10 to 16 in. 5P		.30	8 to 12 in. 4P	.25
1 to 1½ ft. 1g	.50		1½ to 2 ft. Gal	.35
M. pinnata.			OSTEOMELES schweriana.	
CALIF. BARBERRY			STONE APPLE	
2 to 3 ft. B	1.00	.85	2 to 3 ft. B 1.15	
MELALEUCA decussata.			PAPAVER orientale.	
LILAC MELALEUCA.			ORIENTAL POPPY	
1½ to 2 ft. 5P	.40		3P15	
3 to 4 ft. 2½g	.70		3 to 6 in. Flats	1.75
2 to 3 ft. B	.65	.55	PENTSTEMON (Pink and Red)	1., 0
3 to 4 ft. B	.85	.75	2 to 3 ft. Qt	.15
M. diosmafolia (Creamy white	.03	.73	P. barbatus. CHELONE B.	•10
			5P	.25
flowers)	75		* P. cordifolius (Native of Santa	.20
3 to 4 ft. B	.75	71	Barbara Is.) (Scarlet Flowers)	
4 to 5 ft. B	.90	.75	1 to 2 ft. 4P	
M. hypericifolia (Rich red			PERSEA americana.	
flowers)	o =	20	AVOCADO SEEDLING	
1½ to 2 ft. 4P	.25	.20		
2 to 3 ft. B	.65	.55	5 to 6 ft. Gal	
M. nesophila. PINK ME-				25
LALEUCA			8 to 12 in. 4P	.25
2 to 3 ft. B	.70	.60	1 to 1½ ft. 4P	.30
MUEHLENBECKIA platycada.			1½ to 2 ft. 5P	.35
NOVELTY, RIBBONBUSH.			2 to 2½ ft. 6P	.40
10 to 14 in. 4P	.35	.30	$2\frac{1}{2}$ to 3 ft. $2\frac{1}{2}$ g	.85
MYRTUS communis. ENGLISH			3 to 4 ft. 2½g 1.25	1.15
MYRTLE			PHOTINIA serrulata	
8 to 12 in. 4P	.30	.25	4 to 5 ft. 5g 1.50	1.25
1 to 1½ ft. 5P	.35	.30	5 to 6 ft. 5g 1.75	1.50
2 to 3 ft. 5g	.75	.65	PITTOSPORUM crassifolium	
2½ to 3 ft. B. (Extra fine)		.80	3 to 4 ft. B 1.00	.75
M. c. compacta	,,,	.00	P. eugenoides	
6 to 10 in. 4P	.40		2 to 3 ft. B	.50
M. c. microphylla	.10		P. tenuifolium (nigricans)	
8 to 12 in. Qt.	.25	.20	1 to 2 ft. Qt	
1 to 1½ ft. 5P	.35	.30	3 to 4 ft. Gal	.30
2 to 2½ ft. 5g		.50	2 to 3 ft. B	.50
2 to 2½ ft. B		.75	4 to 5 ft. B	.75
M. c. variegata	.05	.73	5 to 6 ft. B	1.15
6 to 10 in. 4P	.35		P. tobira	
	.75	.60	2 to 3 ft. Gal	.45
1½ to 2 ft. B	.73	.00	3 to 4 ft. 5g 1.00	
M. ugni (New)			3 to 4 ft. B 1.00	.75
CHILE-GUAVA	75	60	P. tobira variegata	
1½ to 2 ft. B	.75	.60	8 to 12 in. 4P	.25
2 to 3 ft. B	.90		2 to 3 ft. B	1.00
NANDINA domestica	25	25	*PRUNUS ilicifolia. EVER-	
8 to 12 in. 4P		.25	GREEN WILD CHERRY.	
1 to 1½ ft. Gal. & 5P		.30	6 to 10 in. Qt. & 3P	.15
1½ to 2 ft. 6P		.40	10 to 14 in. Qt. 25	.20
$2 \text{ to } 2\frac{1}{2} \text{ ft. } 2\frac{1}{2}\text{g.}$		.65	1½ to 2 ft. Gal. & 5P	.35
2½ to 3 ft. 2½g		.75	2 to 2½ ft. 2½ g	.75
3 to 4 ft. 5g				.85
3 to 4 ft. B	1.00		2½ to 3 ft. 2½g	.05
NERIUM. OLEANDER.			1. I) oni (throightfolia).	
DOUBLE, crimson pink, salmon	1		LINA ISLAND CHERRY.	.15
pink, red, white.			6 to 8 in. 3P	.13

	e 100 m			10 rate 10 Each E	0 rate
2% to 3 ft. 2½g		.55	*QUERCUS agrifolia.		
3 to 4 ft. $2^{1}_{2}$ g			CALIF. LIVE OAK		
4 to 5 it. 2½g 1.	00		3 to 4 ft. 5g.	1.00	
	• •		4 to 5 ft. 5g		
PSIDIUM cattleianum. STRAW-			6 to 8 ft. 5g	1.75	
BERRY GUAVA	20	^ <b>-</b>	3 to 4 it. B (Bushy)		
8 to 12 in. 4P		.25		1.20	
1½ to 2 it. 5P		.35	Q. ballota.		
2 to 2½ ft. B	90		HOLLY or HOLM OAK		
3 to 4 ft. B 1.:	15		3 to 4 ft. 5g	1.15	
PUNICA granatum nana.			4 to 5 ft. 5g	1.35	
DWARF POMEGRANATE			Q. suber. CORK OAK.		
	90	.75	5 to 6 ft. 5g	1.75	
	90	.73	RAPHIOLEPIS umbellata (Ja-		
PYRACANTHA angustifolia			ponica)		
	25	.20	1 <sup>1</sup> <sub>2</sub> to 2 it. B	20	.70
112 to 2 it. 4P	30	.25			.85
2 to 3 ft. Gal		.35	2 to 3 it. B	1.00	.00
5 to 6 ft. Gal	60	.50	*RHAMNUS californica.		
5 to 6 it. 5g. (Berried) 1.	00	.85	COFFEE BERRY		
2 to 3 ft. B. (Berried)		.60	6 to 10 in. 4P	25	.20
		.75	10 to 14 in. 5P		.25
	85	./3	2 <sup>1</sup> <sub>2</sub> to 3 ft. 2 <sup>1</sup> / <sub>2</sub> g	1.00	
P. coccinea. BURNING BUSH	20	o =	* R. crocea (red berry, very pr	-0++)	
	30	.25			20
2 to 3 ft. 5P		.30	6 to 8 in. 3P	35	.30
2 to 3 ft. 5g. (Berried)	70		*RHUS laurina.		
3 to 4 ft. 5g. (Berried)	85		EVERGREEN SUMAC		
2 to 3 it. B. (Berried)	65	.55	2 to 3 ft. 4P	45	.40
	80	.70	*ROMNEYA coulteri.		
P. c. lalandi		., 0	*KOMNEIA COUNCII.		
1 <sup>1</sup> 2 to 2 it. 4P	.10	.35	MATILIJA POPPY	-0	40
2 to 3 ft. 5P		.40	4P		.40
			5P		.50
2 to 3 it. B. (Berried)		.70	Gal	70	.60
3 to 4 ft. B. (Berried) 1.	UU	.85	ROSMARINUS officinalis.		
P. crenulata			ROSEMARY		
1 to $1^{\tau_2}$ ft. Qt	.25	.20	3 to 4 it. Gal	50	
2 to 3 ft. 4P	.30	.25			
2 to 3 ft. Gal	40	.30	SALVIA azurea grandiflora		
3 to 4 ft. 5g. (Berried)	75		(Pitcheri)		
4 to 5 ft. 5g. (Berried) 1.	00		21,2g.	60	
152 to 2 ft. B. (Berried)	65	.55	S. farinacea		
P. formosiana (NEW, VERY			2 to 3 ft. 4P	30	
FINE (Bright Scarlet Berries)	)		S. greggi (red)		
1 to 11/ ft 1P	25	.30	2 to 2½ it. 4P	40	.30
1 to 1½ ft. 4P	10.	.50	2 to 3 ft. 1g		.35
1-2 10 2 II. 3F	<del>-1</del> U		S. greggi (white)		.00
3 to 4 ft. 5g 1.			1 to 1½ ft. 4P	30	
4 to 5 ft. 5g 1.			1 <sup>1</sup> <sub>2</sub> to 2 it. 5P	10	
2 to 3 it. B	.90			.40	
P. kensuriensis (NEW, Orange			S. rutilans	20	2-
Yellow Berries)			1 to 115 ft. 4P	30	.25
1 to 1½ ft. 4P	.30		SCHINUS molle.		
	.45		CALIF. PEPPER TREE		
P. yunnanensis (Red Berries)			1 to 1½ ft. Qt	25	.20
	.30	.25	2 to 3 ft. Gal	.35	.30
1½ to 2 it. Qt	35	.30	5 to 6 ft. 5g		.0.0
2 to 3 it. Gal			S. terebinthifolius.	1.00	
2 +0 1 + 2T/~	75	.40	BRAZILIAN PEPPER TE	PEE	
3 to 4 ft. 2½g		c=			
2 to 3 ft. B	.80	.65	5 to 6 ft. Gal		

	ate 100 ch H			ate 100	
STERCULIA diversifolia.	-	Juch	V. reevesi		шош
BOTTLE TREE			1½ to 2 ft. B	.60	.50
2 to 3 ft. Gal	.45	.40	VIBURNUM suspensum		
TEUCRIUM fruiticans			(Sandankwa)		
2 to 3 ft. Gal	.40	.30	8 to 12 in. 4P	.35	.30
3 to 4 ft. Gal		.40	1 to 1½ ft. 5P		
2 to 3 ft. B	.80		2 to 3 ft. B	1.00	.80
TRACHELIUM caeruleum.			V. tinus (Laurustinus)		
THROATWORTH			8 to 12 in. 4P	.25	.20
1½ to 2 ft. 4P	.25		1 to 1½ ft. 4P		.30
ULEX europeus. GORSE			1½ to 2 ft. Gal		.35
1 to 1½ ft. 4P	.25	.20	3 to 4 ft. 5g		
2 to 3 ft. B	.70	.60	2 to 3 ft. B	.70	.60
U. e. nana. DWARF GORSE			V. t. grandiflorum		
1 to 1½ ft. Gal	.30	.25	1 to 1½ ft. 4P		.30
*UMBELLULARIA californica.			1½ to 2 ft. 5P	.40	.35
CALIF. LAUREL or BAY TRE	EΕ		V. t. variegatum	20	25
8 to 12 in. 4P		.35	8 to 12 in. 4P	.30	.25
2 to 3 ft. B	.80	.65	1½ to 2 ft. 5P 2 to 3 ft. B		
*VACCINIUM ovatum. HUCKLE	`-		YUCCA filamentosa	.03	
BERRY.			COMMON YUCCA		
1 to 1½ ft. Gal	.50		8 to 10 in. Qt	.25	
VERONICA andersoni			8 to 10 in. 4P		
1½ to 2 ft. B	.60		*YUCCA whipplei	.00	
2 to 3 ft. B			SPANISH BAYONET		
V. a. variegata			12 to 15 in. 4P	.30	
1 to 1½ ft. 4P	.30	.25			
1½ to 2 ft. B	.60	.50	<b>DECIDUOUS SHADE</b>	7 A T	ID
V. buxifolia					ND
12 to 14 in. B	.50	.40	FLOWERING TRI	<b>EES</b>	
V. chathamica			AND SHRUBS		
1 to 1½ ft. 5P					
1½ to 2 ft. B	.60	.50	ACER dasycarpum (saccharinum	)	
V. cupressoides	60	<b>F</b> 0	SILVER MAPLE	50	.40
1 to 1½ ft. B. (Bushy) V. decussata	.60	.50	4 to 6 ft. B-R		.40
1 to 1½ ft. Gal	.40	.35	6 to 8 ft. 5gA. negundo BOX ELDER	.03	
1 to 1½ ft. B		.40	4 to 6 ft. B-R	.40	
1½ to 2 ft. B	.60	.50	6 to 8 ft. B-R		
2 to 2½ ft. B		.50	A. palmatum		
V. d. variegata	., 0		JAPANESE MAPLE		
1 to 1½ ft. Gal	.40	.35	2 to 3 ft. Gal	60	.50
1½ to 2 ft. B		.50	A. rubrum. SCARLET MAPL	E	
V. glaucophylla			3 to 4 ft. B-R	40	
6 to 10 in. 4P	.25	.20	4 to 6 ft. B-R	50	
V. imperialis			*AMORPHA californica		
8 to 12 in. 4P		.30	INDIGO SHRUB	(F	
1½ to 2 ft. B		.55	4 to 6 ft. B-R	.65	
1 to 1½ ft. B		.45			
2 to 3 ft. B	.80	.70	Flowering Almono	ds	
V. pimeleoides	20	25			
8 to 10 in. 4P		.25 .60	AMYGDALUS communis nana (Dble., pink dwarf Flowering		
14 to 16 in. B. (Bushy)	.70	.00	Almond)		
10 to 12 in. B	.50	.40	2 to 3 ft. B-R	.45	.35
12 to 14 in. B		.50	3 to 4 ft. B-R		.45
- 0 1 m. D	.00		0 00 1 100 2 20000000000000000000000000		

Elamania de Danahan		10 rate 100 Each	rate Each
Flowering Peaches	te 100 rate	CRATAEGUS oxycantha	
AMYGDALUS persica. FLOW-	te lou rate	HAWTHORNE, dble. pink;	
ERING PEACH. Burbank Pink		paul's scarlet, (dble red)	
Constitution (della minta) Della	••	4 to 6 ft. $2\frac{1}{2}g$	
Camelliaflora (dble. pink), Dble.		4 to 6 ft. Gal	
Pink, Early Dble. Cerise, Early		3 to 4 ft. B-R	.35
Dble. Red, Genbei (variegated),		4 to 6 ft. B-R	.40
Late Dble. Pink, Late Dble. Red.	,	DEUTZIA scabra crenata	
Very Late Dble. Red, Dble. Whit		6 to 8 ft. B-R	
3 to 4 ft		2 to 2 ft D D	
	.60 .50	2 to 3 ft. B-R	
	.70 .60	3 to 4 ft. B-R	
AMYGDALUS persica (Crimson		4 to 5 ft. B-R	
leaf, dark pink flowering peach)		EXOCHORDA grandiflora	
A NOVELTY		PEARL BUSH	
3 to 4 ft. B-R	.65 .55	3 to 4 ft. B-R	.25
4 to 5 ft. B-R	.75 .65	4 to 6 ft. B-R	.30
5 to 6 ft. B-R	.85 .75	FRAXINUS americana. WHITE	
BERBERIS vulgaris. COMMON		ASH	
BARBERRY		4 to 6 ft. B-R	
3 to 4 ft. Gal	.50	6 to 8 ft. B-R	.40
BETULA alba. WHITE BIRCH		8 to 10 ft. B-R	.60
	.45		.00
	.55	HYDRANGEA. E. G. Hill, Hortensis,	
CALYCANTHUS floridus		La Pearl, Mme. L. Moulliere, Mme.	
SWEET SHRUB		C. S. Rich, Nigra, paniculta, radi-	
1 to 1½ ft. B-R	.30 .25	ant.	
C. occidentalis. CALIF.		1 to 1½ ft. Gal	
SWEET SHRUB		1 to $1\frac{1}{2}$ ft. $2\frac{1}{2}$ g	
1½ to 2 ft. Gal	.35	KERRIA japonica (Double) JAP.	
CARYOPTERIS incana. BLUE	.00	ROSE	
SPIREA		4 to 5 ft. Gal	.50
2 to 3 ft. 4P	.30	5 to 6 ft. Gal	.63
3 to 4 ft. Gal	.40	K. j. (Single) JAP. ROSE	
4 to 5 ft. Gal	.50	3 to 4 ft. Gal	.40
CATALPA speciosa. WESTERN	.50	KOELREUTERIA paniculata	
CATALPA CATALPA		VARNISH TREE	
4 to 6 ft. B-R	.40	3 to 4 ft. Ga1	
6 to 8 ft. 5g		4 to 5 ft. Gal	
6 to 8 ft. B-R		6 to 8 ft. B-R 1.00	
8 to 10 ft. B-R	.65	LAGERSTROEMIA indica (Pink)	
CEPHALANTHUS occidentalis	.03	CRAPE MYRTLE	
BUTTON BUSH		1½ to 2 ft. Gal	
2 4- 4 64 C-1	.40	Liquidambar styraciflua SWEETGUM	
3 to 4 ft. Gal	.40	10 to 12 ft. B-R 3.00	
*CERCIS occidentalis. CALIF.		LONICERA fragrantissima	
RED BUD	40	WINTER HONEYSUCKLE	
2 to 3 ft. B-R	<del>4</del> 0	3 to 4 ft. B-R	
CORNUS amomum. SILKY DOC	J-	4 to 5 ft. B-R	
WOOD	20	L. grandiflora BRIDE	
2 to 3 ft. B-R	.30	HONEYSUCKLE	
* C. californica. CREEK DOG-		3 to 4 ft. Gal	
WOOD	25	3 to 4 ft. B-R	
2 to 3 ft, Gal	.35	Floryoning Apples	
C. sanguinea. BLOODTWIG		Flowering Apples	
DOGWOOD	20	MALUS floribunda purpurea	
2 to 3 ft. B-R	.30	PURPLE JAP. FLOW. CRAB.	
C. stolonifera. RED-OSIER		4 to 6 ft. 5g	
DOGWOOD	••	6 to 8 ft. B-R	
2 to 3 ft. B-R	.30	M. ioensis plena (Bechtel Crab)	

	ate 100		10 r Eac	ate 100	
DOUBLE PINK	ich E	асп	P. pissardi (purple leaved plum)	-H 15	acu
3 to 4 ft. Gal	.60		4 to 6 ft. B-R	.60	.50
4 to 5 ft. 5g	.85		6 to 8 ft. B-R	.75	.60
3 to 4 ft. B-R	.60	.50	P. vesuvius (Flw. plum-purple		100
4 to 5 ft. B-R	.70	.60	foliage very fine)		
MELIA azedarach TEXAS			4 to 6 ft. B-R	.70	.60
UMBRELLA TREE			6 to 8 ft. B-R	.85	.70
4 to 6 ft. B-R	.50				
6 to 8 ft. B-R	.60		Flowering Cherrie		
MORUS tartarica RUSSIAN				<i>'</i> O	
MULBERRY			PRUNUS pseudo cerasus		
2 to 3 ft. Gal	.35	.30	FLOWERING CHERRY		
3 to 4 ft. Gal	.40		Dble pink		
PAULOWNIA tomentosa (Imper			3 to 4 ft. 5g		
ialis) EMPRESS TREE			4 to 5 ft. 5g	1.60	
12 to 14 ft. B-R	.90		Dble white		
POPULUS alba. WHITE POPL	AR		4 to 5 ft. 5g		
3 to 4 ft. B-R		.40	Dble. pink, rose pink, shell pi	nk,	
4 to 5 ft. B-R	.55	.45	dble. white		
P. deltoides carolinensis.			2 to 3 ft. B-R	1.00	.75
CAROLINA POPLAR			3 to 4 ft. B-R	1.25	1.00
4 to 6 ft. B-R	.50	.40	4 to 5 ft. B-R	1.50	1.25
6 to 8 ft. B-R		.50	PUNICA granatum (Dble red)		
P. nigra italica LOMBARDY			FLW. POMEGRANATE		
POPLAR			2 to 3 ft. Gal	.35	/p.
5 to 6 ft. 5g	.50		2 to 3 ft. B-R	: 30	.25
6 to 8 ft 5g	60		3 to 4 ft. B-R	45	35
6 to 8 ft. 5g 8 to 10 ft. 5g	70		D C (Dbla White)		A .00
10 to 12 ft. 5g	90		2 to 3 ft. Gal	.35	
12 to 14 ft. 5g	1.00		3 to 4 ft. B-R	.45	
4 to 6 ft. B-R	40		ROBINA Pseudoacacia BLACK	.43	
6 to 8 ft. B-R			LOCUST		
P. simoni fastigiata NARROW	.50		4 to 6 ft. B-R	.40	
SIMON POPLAR			6 to 8 ft. B-R	.50	
8 to 10 ft. 5Gal	.60		SALIX discolor PUSSY WILLO		
10 to 12 ft. 5g	.70				
10 to 12 ft. B-R	.70		5 to 6 ft. 2½g 6 to 8 ft. 5g	.70	
*PRUNUS demissa. WESTERN	.70		4 to 5 ft. B-R	.50	
CHOKE CHERRY			CDIDAFA Arthorn rectorer	.50	
2 to 3 ft. Gal	ro.		SPIRAEA Anthony waterer 2 to 3 ft. Gal	.40	
4 to 6 ft. 5g	1.00			.40	
4 to 0 It. Jg	1.00		S. reevesiana 2 to 3 ft. B-R	.35	
				.55	
Flowering Plums and A	prio	ote	S. thunbergi	.40	
1 lowering 1 lums and A	pric	OLS	2 to 3 ft. Gal	.30	
PRUNUS moseri FLOWERING			1½ to 2 ft. B-R	.50	
PLUM, purple leaves & dble.	nink		S. vanhouttei	.35	
flowers	pink		2 to 3 ft. B-R		
4 to 6 ft. B-R	.70	.60	SYMPHORICARPOS orbiculatu		
6 to 8 ft. B-R		.70	INDIAN CURRANT—Coral		Y
P. mme dorborn (Flw. plum	.03		3 to 4 ft. Gal		
Bright pink flowers)		•••••	4 to 5 ft. Gal		
4 to 6 ft. B-R	70	60	3 to 4 ft. B-R	.45	
6 to 8 ft. B-R		.60	SYRINGA chinensis nana CHINI	FOF	
		.70	DWARF LILAC	20	.25
P. MUME (Dawn) JAP. FLW.		L-	8 to 12 in. 4P	.30	.23
COT (very early bloomer- pin			2 to 3 ft. Gal	.50	
4 to 6 ft		.60	S. vulgaris LAVENDER LILA	60	
6 to 8 ft	.85	.70	3 to 4 ft. Gal	00	

LEONARD CC	AIDS NORSHRIDS
10 rate 100 r Each Ea	ch 10 rate 100 rate
S. v. PURPLE LILAC	Each Each
1½ to 2 ft. B-R	EUONYMUS radicans WINTER CREEPER 4P
2 to 3 ft. B-R	CREEPER 4P
ULMUS Americana AMERICAN	FICUS pumila (repens) CLIMBING FIG 4P
OR WHITE ELM	
4 to 5 ft. $2\frac{1}{2}g$	GELSEMIUM sempervirens CARO-
5 to 6 ft. 5g	LINA YELLOW JASMINE 4P30
5 to 6 ft. B-R	HEDERA amurensis LARGE LEAF
6 to 8 ft. B-R	IVY 5P
WEIGELA (Diervilla) amabilis	Gal
ROSE WEIGELA	H. helix ENGLISH IVY Qt20 .15 Gal
_ (0 0 10 = = 100000000000000000000000000	H. helix dentata aurea GOLDEN
W. hybrida hendersoni (Deep rose flowers)	GIANT IVY 4P
2 to 2½ ft. B-R	H. helix EMERALD GEM
2 to 272 ft. B-R	Gal
CY VI (DYNIC AND	H. helix maculata minor. (Small
CLIMBING AND	leaf variegated ivy)
TRAILING PLANTS	Gal
	HELIANTHEMUM SUN ROSE
THE DITT quinatur our minimum	Apricot, Bronze, Cream, Pink,
AMPELOPSIS henryana SILVER	Red, Dble. red, Rose, White,
VEIN CREEPER 5P	Yellow. 4P
A. heterophylla PORCELAIN AMPELOPSIS Gal	3P
	HEUCHERIA sanguinea CORAL
A. quinquefolia VIRGINIA CREEPER Qt	.20 BELLS 3P
A. tricuspidata. BOSTON IVY	JASMINUM bessianum ROSY
	.25 JASMINE Gal
	20 J. humile (Yellow). ITALIAN
not made of spreagers in the second	JASMINE. 6P
	J. primulinum PRIMROSE
	JASMINE 5P
	6P
NA TO	2 to 3 ft. B
The La	4 to 5 ft. B
	LIPPIA canescens (L. repens) LIPPIA
	GRASS Flats
1000	*LONICERA Californica WILD HONEYSUCKLE 4P
	L. chinensis CHINESE HONEY-
	SUCKLE Gal
	L. japonica halliana HALL'S
	JAP. HONEYSUCKLE Qt20 .15
	Gal
	PASSIFLORA incarnata BLUE
	PASSIONFLOWER 4P
W J Water State of	P. manicata SCARLET PASSION
	VINE 4P
	PLUMBAGO capensis CAPE
	PLUMBAGO 4P
	SOLLYA heterophylla AUSTRALIAN
A. W.	BLUEBELL CREEPER Qt. 30 .25
	Gal
/	GATED PERIWINKLE Qt20 .15
	VINCA minor SMALL LEAF PER-
ENGLICH WIEG	IWINKLE. Qt
ENGLISH IVIES	V. m. alba (White flowers) Qt15 .12½

		C. goveniana GOWEN CYPRESS	
LINING-OUT STOCK			10
	•	* C. macrocarpa MONTEREY CYPRE	
ABIES balsamea BALSAM FIR			04
4 to 6 in. Flats	.06	C. sempervirens ITALIAN CYPRES	
ACACIA armata		8 to 12 in. Flats	07
6 to 8 in. Flats	.06	CYTISUS canariensis	
A. cultriformis KNIFE-BLADE			07
ACACIA 3 to 6 in. Flats	.05		
A. melanoxylon BLACK ACACIA		DIOSMA ericoides BREATH-OF-	07
8 to 10 in. Flats	04		.07
A. saligna WILLOW ACACIA			.08
8 to 10 in. 2½P	.06	ESCALLONIA berteriana	
A. verticillata		10 to 16 in. 2½P	.08
6 to 8 in. Flats	.06	E. ingrami 6 to 10 in. 2½P	.08
ALBIZZIA julibrissin PINK ACACIA		E. pterocladon (NEW)	
8 to 10 in. 3P	.12	8 to 12 in. 2½P	80.
ASPARAGUS sprengeri 2½P	.06	EUONYMUS japonica compactus virio	lie
BERBERIS sargenti 6 to 10 in. 2 <sup>1</sup> / <sub>4</sub> P	.09		.04
B. stenophylla 6 to 10 in. 2½P		E. jap. microphylla PULCHELLUS	
RIIDDI EIA globasa CI ODE USTETT	.08		.04
BUDDLEIA globosa GLOBE BUTTE			.04
FLY BUSH 6 to 10 in. 2½P	.07	E. jap. viridvariegatus	10
CALLISTEMON rigidus BOTTLE	0.0		.10
BRUSH 6 to 10 in. 2&2 <sup>1</sup> / <sub>4</sub> P	.08	FABIANA imbricata	
*CALYCANTHUS occidentalis CALIF		6 to 10 in. 2½P	.08
SWEET SHRUB 8 to 10 in. B-R	.05	FESTUCA glauca BLUE FESCUE	
CARMICHAELIA odorata (NEW)			.07
6 to 12 in. 2½P	.08		.04
CASSIA tomentosa 6 to 10 in. 21/2P	.08		.0 .
*CEANOTHUS arboreus hybrida		FORSYTHIA viridissima GOLDEN	00
3 to 6 in. 2½P	.08	, , <del>, _</del>	.06
* C. spinosus 3 to 6 in. 2 <sup>1</sup> / <sub>4</sub> P	.08	HAKEA laurina SEA URCHIN	
CEDRUS atlantica MT. ATLAS			.08
CEDAR 6 to 8 in. 2½P	.12	HALESIA tetraptera GREAT	
C. libani CEDAR OF LEBANON		SILVER BELL	
4 to 8 in. 2½P	.12	4 to 8 in. 2½P	.10
CERATOSTIGMA plumbaginoides		HYPERICUM moserianum GOLD	
(Plumbago larpentae)		FLOWER 4 to 8 in. 2½P	.08
Flats	.04	8 to 10 in. 2½P	.09
2¼P	.05	H. patulum henryi	
CESTRUM auranticum		6 to 10 in. 2½P	.08
1 to 2 ft. 2½P	.06	JACARANDA ovalifolia	
CHAMAECYPARIS ericoides	.00	3 to 6 in. 2 <sup>1</sup> / <sub>4</sub> P	.09
8 to 12 in. Flats	.05	JASMINUM humile (Yellow). ITAL-	
CORREA japonica alba	.00		.08
10 to 14 in. 2P	.07	J. primulinum PRIMROSE JASMIN	
COTONEASTER franchetti	.07		.08
3 to 6 in. 2½P	.08	KNIPHOFIA (Tritoma) RED HOT	.00
C. frigida 4 to 8 in. 21/4&21/2P	.08	POKER 10 to 14 in. 2½P	.06
C. microphylla 6 to 10 in. 2½P		LEONOTIS leonurus. LION'S TAIL	.00
	.08 .07	8 to 12 in. 2½P	.08
C. pannosa 3 to 6 in. 2½P	.07		.00
CRYPTOMERIA elegans PLUME		LIGUSTRUM henryi	ns
CRYPTOMERIA	00	4 to 6 in. 2½P	.08
4 to 8 in. 2½P	.09	L. japonicum JAP. PRIVET	Ω4
CUPRESSUS arizonica. ARIZONA	021/		04
CYPRESS 3 to 6 in. Flats	.031/2	LONICERA Jap. chinensis CHINESE	07
1½ to 2 ft. Flats	.05		0 <b>7</b>
C. btthami knightiana	0.6	L. Japonica halliana HALL'S JAP.	07
1 to 1½ ft. Flats	.06	HONEYSUCKLE 21/4P	07

MAGNOLIA hypoleuca SILVER	
MAGNOLÍA 6 to 10 in. 2½P	.15
*MAHONIA aquifolium OREGON	
GRAPE 3 to 6 in. 2½P	.08
MELALEUCA hypericifolia (Rich red	1
flowers) 4 to 8 in. 2½P	.08
MUEHLENBECKIA platycada RIB-	
BON BUSH 6 to 10 in. 2½P	.09
MYRTUS communis ENGLISH	
MYRTLE 4 to 8 in. 2 <sup>1</sup> / <sub>4</sub> P	.08
M. c. microphylla	
6 to 10 in. 2P	.08



#### LATH LOUSE VIEW

NERIUM OLEANDER Rose Pink, Dbl.	e.
6 to 10 in. 2½P	7
PHILADELPHUS mexicanus. MOCK-	
ORANGE 8 to 12 in. 2½P	)7
PHOTINIA arbutifolia TOYON	
4 to 6 in. 2½P	1
*PICEA engelmanni ENGLEMAN'S	
SPRUCE 2 to 4 in. 2P	12
PINUS radiata MONTEREY PINE	
6 to 10 in. Flats	)5
PYRACANTHA angustifolia	
6 to 10 in. 2½P	)7
P. yunnanensis 8 to 12 in. 2½P(	3(

SALVIA greggi (Red)	
8 to 12 in. 2½P	.07
SCHINUS molle PEPPER TREE	.07
4 to 8 in. 2½P	.06
3 to 6 in. Flats	.04
S. terebinthifolius BRAZILIAN	.01
3 to 6 in. 2¼P	.07
SOLANUM pseudocapsicum JERU-	
SALEM CHERRY	
2 to 4 in. 2P	.06
3 to 6 in. Flats	.05
TEUCRIUM fruticans	
8 to 12 in. 2P	.07
1 to 1½ ft. Flats	.06
THUJA orientalis ARBORVITAE	
3 to 6 in. Flats	.05
ULEX europeus GORSE	
10 to 14 in. 2P	.07
U. e. nana DWARF GORSE	
6 to 10 in. 2½P	.07
*VACCINIUM ovatum HUCKLEBER	.05
2 4- 6 : 2D	
3 to 6 in. 2P	.08
3 to 6 in. 2PVERONICA chathamica	.08
3 to 6 in. 2P VERONICA chathamica 6 to 8 in. 2½P	
3 to 6 in. 2P VERONICA chathamica 6 to 8 in. 2½P V. decussata	.08
3 to 6 in. 2P  VERONICA chathamica 6 to 8 in. 2½P  V. decussata 6 to 10 in. 2½P  V. d. variegata	.08
3 to 6 in. 2P  VERONICA chathamica 6 to 8 in. 2½P  V. decussata 6 to 10 in. 2½P  V. d. variegata	.08
3 to 6 in. 2P	.08 .07 .06
3 to 6 in. 2P  VERONICA chathamica 6 to 8 in. 2½P  V. decussata 6 to 10 in. 2½P  V. d. variegata 8 to 12 in. 2½P  V. hulkeana 6 to 10 in. 2½P	.08 .07 .06
3 to 6 in. 2P  VERONICA chathamica 6 to 8 in. 2½P  V. decussata 6 to 10 in. 2½P  V. d. variegata 8 to 12 in. 2½P  V. hulkeana 6 to 10 in. 2½P  V. imperialis	.08 .07 .06 .07
3 to 6 in. 2P VERONICA chathamica 6 to 8 in. 2½P V. decussata 6 to 10 in. 2½P V. d. variegata 8 to 12 in. 2½P V. hulkeana 6 to 10 in. 2½P V. imperialis 6 to 10 in. 2½P	.08 .07 .06 .07
3 to 6 in. 2P  VERONICA chathamica 6 to 8 in. 2½P  V. decussata 6 to 10 in. 2½P  V. d. variegata 8 to 12 in. 2½P  V. hulkeana 6 to 10 in. 2½P  V. imperialis 6 to 10 in. 2½P  V. pimeleoides	.08 .07 .06 .07 .07
3 to 6 in. 2P  VERONICA chathamica 6 to 8 in. 2½P  V. decussata 6 to 10 in. 2½P  V. d. variegata 8 to 12 in. 2½P  V. hulkeana 6 to 10 in. 2¼P  V. imperialis 6 to 10 in. 2½P  V. pimeleoides 3 to 6 in. 2½P	.08 .07 .06 .07 .07 .08
3 to 6 in. 2P  VERONICA chathamica 6 to 8 in. 2½P  V. decussata 6 to 10 in. 2½P  V. d. variegata 8 to 12 in. 2½P  V. hulkeana 6 to 10 in. 2½P  V. imperialis 6 to 10 in. 2½P  V. pimeleoides 3 to 6 in. 2½P  V. reevesi	.08 .07 .06 .07 .07 .08
3 to 6 in. 2P  VERONICA chathamica 6 to 8 in. 2½P  V. decussata 6 to 10 in. 2½P  V. d. variegata 8 to 12 in. 2½P  V. hulkeana 6 to 10 in. 2½P  V. imperialis 6 to 10 in. 2½P  V. pimeleoides 3 to 6 in. 2½P  V. reevesi 6 to 10 in. 2½P	.08 .07 .06 .07 .07 .08
3 to 6 in. 2P VERONICA chathamica 6 to 8 in. 2½P V. decussata 6 to 10 in. 2½P V. d. variegata 8 to 12 in. 2½P V. hulkeana 6 to 10 in. 2½P V. imperialis 6 to 10 in. 2½P V. pimeleoides 3 to 6 in. 2½P V. reevesi 6 to 10 in. 2½P V. traversi	.08 .07 .06 .07 .07 .08 .06
3 to 6 in. 2P VERONICA chathamica 6 to 8 in. 2½P V. decussata 6 to 10 in. 2½P V. d. variegata 8 to 12 in. 2½P V. hulkeana 6 to 10 in. 2½P V. imperialis 6 to 10 in. 2½P V. pimeleoides 3 to 6 in. 2½P V. reevesi 6 to 10 in. 2½P V. traversi 6 to 10 in. 2½P V. traversi 6 to 10 in. 2½P	.08 .07 .06 .07 .07 .08
3 to 6 in. 2P  VERONICA chathamica 6 to 8 in. 2½P  V. decussata 6 to 10 in. 2½P  V. d. variegata 8 to 12 in. 2½P  V. hulkeana 6 to 10 in. 2½P  V. imperialis 6 to 10 in. 2½P  V. pimeleoides 3 to 6 in. 2½P  V. reevesi 6 to 10 in. 2½P  V. traversi 6 to 10 in. 2½P  VIBURNUM tinus LAURUSTINUS 3 to 6 in. 2½P	.08 .07 .06 .07 .07 .08 .06
3 to 6 in. 2P VERONICA chathamica 6 to 8 in. 2½P V. decussata 6 to 10 in. 2½P V. d. variegata 8 to 12 in. 2½P V. hulkeana 6 to 10 in. 2½P V. imperialis 6 to 10 in. 2½P V. pimeleoides 3 to 6 in. 2½P V. reevesi 6 to 10 in. 2½P V. traversi 6 to 10 in. 2½P V. traversi 6 to 10 in. 2½P VIBURNUM tinus LAURUSTINUS 3 to 6 in. 2½P *YUCCA whipplei SPANISH BAY-	.08 .07 .06 .07 .07 .08 .06
3 to 6 in. 2P  VERONICA chathamica 6 to 8 in. 2½P  V. decussata 6 to 10 in. 2½P  V. d. variegata 8 to 12 in. 2½P  V. hulkeana 6 to 10 in. 2½P  V. imperialis 6 to 10 in. 2½P  V. pimeleoides 3 to 6 in. 2½P  V. reevesi 6 to 10 in. 2½P  V. traversi 6 to 10 in. 2½P  V. traversi 6 to 10 in. 2½P  VIBURNUM tinus LAURUSTINUS	.08 .07 .06 .07 .07 .08 .06

The foregoing list includes stocks of which we can supply in large quantities. We are continually growing and adding new varieties, so if you do not find your wants listed, write for further information and prices.

#### ASK US FIRST.

#### GENERAL INDEX

		Pa	age
Climbing and Trailing Plants			16
Conifers		5 8	& 6
Contracts			2
Deciduous Shade & Flowering Trees	13	to	16
Deciduous Shrubs			
Evergreen Trees & Shrubs	6	to	13
Explanation of Abbreviations			2
Floral Department			19
Flowering Almonds			13
Flowering Apples	14	&	
Flowering Cherries			15
Flowering Peaches			14
Flowering Plums and Apricots			15
Fruit and Nut Tree Department		3 8	& 4
Fruit Trees - Budded			4
Lining-out Stock	17	&	18
Native California Trees & Shrubs			2
Nut-bearing Trees			4
Ornamental Department	5	to	18
Rose Stocks			3
Seedlings—Fruit Tree			3
Seedlings—Ornamental			3
Sub-Tropical Fruit Trees			4
Terms and Conditions of Sale			2

### FLORAL DEPARTMENT

In connection with our main office and salesyard in SAN JOSE, we maintain a first class Floral Store in charge of Floral Artists.

Our stock is complete, and we can supply flowering and ornamental plants—cut flowers—floral pieces and floral work for all occasions, subject to our usual discount.

Orders accepted for all points in the Santa Clara Valley. Wire your instructions, or telephone Santa Clara 193.

# Leonard Coates Nurseries

Members:- Florists Telegraph Delivery Association.

1835 The Alameda



San Jose California

# Specials

Acacias	See	Page	6 & 7
Cedrus Atlantica	,,	,,	5
Chamaecyparis lawsoniana (Lawson Cypress)	,,	,,	5
Cinnamomum camphora (Camphor Tree)	,,	,,	7
Cotoneasters	,	,,	8
Cryptomeria elegans	,,	,,	5
Cryptomeria japonica (Jap Redwood)	,,	,,	5
Cupressus arizonica (Arizona Cypress)	,,	,,	5
Eucalyptus	,,	,,	9
Euonymus	,,	" 9	8 10
Flowering cherries	<b>,,</b>	••	15
Flowering Peaches	,,	,,	14
Helianthemum (Sun Rose)	,,	,,	16
Ligustrum ovalifolium (Calif. privet)	,,	,,	10
Nandina domestica	,,	,,	11
Nerium (Oleander)	,,	,,	11
*Photinia arbutifolia (Toyon)	,,	,,	11
*Prunus ilicifolia (Wild cherry)	,,	••	11
Pyracanthas	,,	,,	12
*Romneya coulteri (Matilija Poppy)	,,	,,	12
*Sequoia sempervirens (California Redwood)	,,	,,	6

# LEONARD COATES NURSERIES

SAN JOSE

**CALIFORNIA**